ELSEVIER

Neuroscience Letters 278 (2000) 195–198

Neuroscience Letters

Author Index to Volume 278

Adelsberger, H., see Krampfl, K., 21
Alafuzoff, I., see Helisalmi, S., 65
Alberch, J., see Pavía, J., 69
Aldudo, J., see Bullido, M.J., 49
Alvárez, I., see Pavía, J., 69
Amann, R., Schuligoi, R., Inhibition of carrageenan-induced edema by indomethacin or sodium salicylate does not prevent the increase of nerve growth factor in the rat hind paw, 173
Avila, J., see Bullido, M.J., 49

Bago, M., see Cowan, A.R., 161
Baik, S.H., see Shin, D.H., 73
Beckman, M.J., see Wang, Z.-Y., 9
Beekes, M., McBride, P.A., Early accumulation of pathological PrP in the enteric nervous system and gut-associated lymphoid tissue of hamsters orally infected with scrapie, 181
Benedikz, E., see Sennvik, K., 169
Bisgard, G.E., see Wang, Z.-Y., 9
Blomberg, M., see Sennvik, K., 169
Bouisset, S., Richardson, J., Zattara, M., Are amplitude and duration of anticipatory postural adjustments identically scaled to focal movement parameters in humans? 153
Brinkmeyer, J., see Streit, M., 13
Brownfield, M.S., see Wang, Z.-Y., 9
Bufler, J., see Krampfl, K., 21
Bullido, M.J., Aldudo, J., Frank, A., Coria, F., Avila, J., Valdivieso, F., A polymorphism in the tau gene associated with risk for Alzheimer's disease, 49
Bunn, S.J., see Roberts-Thomson, E.L., 93
Busto, R., see Lin, B., 1

Calo', G., see Hashimoto, Y., 109
Checkoway, H., see Costa-Mallen, P., 33
Chen, J., see Zheng, J.-H., 41
Cho, S.S., see Shin, D.H., 73
Cohen, A.W., see Costa-Mallen, P., 33
Colangelo, V., see Orzi, F., 29
Conn, P.J., see Rouse, S.T., 61
Coria, F., see Bullido, M.J., 49
Costa, L.G., see Costa-Mallen, P., 33
Costa-Mallen, P., Checkoway, H., Fishel, M., Cohen, A.W., Smith-Weller, T., Franklin, G.M., Swanson, P.D., Costa, L.G., The *Eco*RV genetic polymorphism of human monoamine oxidase type A is not associated with Parkinson's disease and does not modify the effect of smoking on Parkinson's disease, 33
Cowan, A.R., Dean, C., Bago, M., Seagard, J.L., Potentiation of non-*N*-methyl-D-aspartate receptor-induced changes in blood pressure by substance P in rats, 161
Craighead, M., Pole, J., Waters, C., Caspases mediate C_2-ceramide-induced apoptosis of the human oligodendroglial cell line, MO3.13, 125

Dai, Y. see Miki, K., 85
Daisley, J., see Saffrey, M.J., 133
Dallaporta, M., Perrin, J., Orsini, J.-C., Involvement of adenosine triphosphate-sensitive K^+ channels in glucose-sensing in the rat solitary tract nucleus, 77
de Ceballos, M.L., see Pavía, J., 69
Dean, C., see Cowan, A.R., 161
Dettbarn, W-D., see Milatovic, D., 25
Di Grezia, R., see Orzi, F., 29
Dolleman-Van der Weel, M.J., Witter, M.P., Nucleus reuniens thalami innervates γ aminobutyric acid positive cells in hippocampal field CA1 of the rat, 145
Doppelmayr, M., Klimesch, W., Schwaiger, J., Stadler, W., Röhm, D., The time locked theta response reflects interindividual differences in human memory performance, 141
Double, K., see Xiao, A.-Y., 165
Dudel, J., see Krampfl, K., 21

Eeckhout, C., see Hillsley, K., 137
Erberich, S., see Krings, T., 189
Esashi, Y., see Matsugo, S., 105
Esclaire, F., see Terro, F., 149

Fastbom, J., see Sennvik, K., 169
Fishel, M., see Costa-Mallen, P., 33
Fitch, N.J.S., see Rieder, C.R.M., 177
Foltys, H., see Krings, T., 189
Forgon, M., see Kasa, P., 117
Frank, A., see Bullido, M.J., 49
Franklin, G.M., see Costa-Mallen, P., 33
Fukuoka, T., see Miki, K., 85

Gaebel, W., see Streit, M., 13
Gerlach, M., see Xiao, A.-Y., 165
Ginsberg, M.D., see Lin, B., 1
Gozal, D., see Simakajornboon, N., 17
Gozal, E., see Simakajornboon, N., 17
Gozal, Y.M., see Simakajornboon, N., 17
Greenberg, D.A., see Sinor, A.D., 157
Grundy, D., see Hillsley, K., 137
Guerrini, R., see Hashimoto, Y., 109

Hamilton, S.E., see Rouse, S.T., 61
Hashimoto, N., see Sugino, T., 101
Hashimoto, Y., Calo', G., Guerrini, R., Smith, G., Lambert, D.G., Antag-

PII: S0304-3940(99)00975-1

onistic effects of [Nphe^1]nociceptin(1–13)NH_2 on nociceptin receptor mediated inhibition of cAMP formation in Chinese ovary hamster cells stably expressing the recombinant human nociceptin receptor, 109
Hatakeyama, D., see Yamanaka, M., 113
Hayashi, Y., see Monji, A., 81
Heinemann, T., see Xiao, A.-Y., 165
Helisalmi, S., Hiltunen, M., Mannermaa, A., Koivisto, A.M., Lehtovirta, M., Alafuzoff, I., Ryynänen, M., Soininen, H., Is the presenilin-1 E318G missense mutation a risk factor for Alzheimer's disease? 65
Helyes, Z., Thán, M., Oroszi, G., Pintér, E., Németh, J., Kéri, G., Szolcsányi, J., Anti-nociceptive effect induced by somatostatin released from sensory nerve terminals and by synthetic somatostatin analogues in the rat, 185
Hikawa, N., see Lin, H., 129
Hillsley, K., Eeckhout, C., Grundy, D., Cilansetron acts at its site of absorption to antagonize the sensitivity of mesenteric afferent fibres to 5-hydroxytryptamine in the rat jejunum, 137
Hiltunen, M., see Helisalmi, S., 65
Hiraiwa, M., see Yan, L., 120
Hirvonen, J., Jääskeläinen, I.P., Näätänen, R., Sillanaukee, P., Adenosine A_1/A_{2a} receptors mediate suppression of mismatch negativity by ethanol in humans, 57
Hugon, J., see Terro, F., 149
Hustedt, E., see Milatovic, D., 25
Hwang, D.H., see Shin, D.H., 73

Ihl, R., see Streit, M., 13
Irvin, S.M., see Sinor, A.D., 157
Ishikawa, Y., see Lin, H., 129
Ito, E., see Yamanaka, M., 113

Jääskeläinen, I.P., see Hirvonen, J., 57

Kaneko, A., see Watanabe, S.-I., 97
Kasa, P., Papp, H., Kovacs, I., Forgon, M., Penke, B., Yamaguchi, H., Human amyloid-β1–42 applied in vivo inhibits the fast axonal transport of proteins in the sciatic nerve of rat, 117
Keith, I.M., see Wang, Z.-Y., 9
Kéri, G., see Helyes, Z., 185
Kim, H.J., see Shin, D.H., 73
Kimura, T., see Yamanaka, M., 113
Kitagawa, T., see Matsugo, S., 105
Klimesch, W., see Doppelmayr, M., 141
Koivisto, A.M., see Helisalmi, S., 65
Koizumi, A., see Watanabe, S.-I., 97
Kojo, S., see Matsugo, S., 105
Kondo, E., see Miki, K., 85
Kovacs, I., see Kasa, P., 117
Krampfl, K., Bufler, J., Lepier, A., Dudel, J., Adelsberger, H., Desensitization characteristics of rat recombinant $GABA_A$ receptors consisting of $\alpha_1\beta_2\gamma_{2S}$ and $\alpha_1\beta_2$ subunits expressed in HEK293 cells, 21
Krings, T., Töpper, R., Foltys, H., Erberich, S., Sparing, R., Willmes, K., Thron, A., Cortical activation patterns during complex motor tasks in piano players and control subjects. A functional magnetic resonance imaging study, 189
Kumon, Y., see Nakatsuka, H., 53
Kushiro, K., see Ogawa, Y., 89

Lai, C.-P., see Wu, F.-S., 37
Lambert, D.G., see Hashimoto, Y., 109
Lee, H.Y., see Shin, D.H., 73
Lee, K.H., see Shin, D.H., 73
Lee, W.J., see Shin, D.H., 73
Lehtovirta, M., see Helisalmi, S., 65
Lembo, G., see Orzi, F., 29
Lepier, A., see Krampfl, K., 21
Li, L., see Lin, B., 1
Lin, B., Ginsberg, M.D., Busto, R., Li, L., Hyperglycemia triggers massive neutrophil deposition in brain following transient ischemia in rats, 1
Lin, H., Hikawa, N., Takenaka, T., Ishikawa, Y., Interleukin-12 promotes neurite outgrowth in mouse sympathetic superior cervical ganglion neurons, 129
Liu, B.-C., see Wu, F.-S., 37

Maeda, N., see Nakatsuka, H., 53
Mannermaa, A., see Helisalmi, S., 65
Matsuda, K., see Monji, A., 81
Matsugo, S., Kitagawa, T., Minami, S., Esashi, Y., Oomura, Y., Tokumaru, S., Kojo, S., Matsushima, K., Sasaki, K., Age-dependent changes in lipid peroxide levels in peripheral organs, but not in brain, in senescence-accelerated mice, 105
Matsushima, K., see Matsugo, S., 105
McBride, P.A., see Beekes, M., 181
Miki, K., Fukuoka, T., Tokunaga, A., Kondo, E., Dai, Y. Noguchi, K., Differential effect of brain-derived neurotrophic factor on high-threshold mechanosensitivity in a rat neuropathic pain model, 85
Milatovic, D., Zivin, M., Hustedt, E., Dettbarn, W-D., Spin trapping agent phenyl-*N*-*tert*-butylnitrone prevents diisopropylphosphorofluoridate-induced excitotoxicity in skeletal muscle of the rat, 25
Minami, S., see Matsugo, S., 105
Monji, A., Yoshida, I., Tashiro, K.-i., Hayashi, Y., Matsuda, K., Tashiro, N., Inhibition of Aβ fibril formation and Aβ-induced cytotoxicity by senile plaque-associated proteins, 81
Morisco, C., see Orzi, F., 29
Mullan, M., see Paris, D., 5

Näätänen, R., see Hirvonen, J., 57
Nakatsuka, H., Ohta, S., Tanaka, J., Toku, K., Kumon, Y., Maeda, N., Sakanaka, M., Sakaki, S., Cytochrome *c* release from mitochondria to the cytosol was suppressed in the ischemia-tolerance-induced hippocampal CA1 region after 5-min forebrain ischemia in gerbils, 53
Nathanson, N.M., see Rouse, S.T., 61
Németh, J., see Helyes, Z., 185
Nikbakht, M.R., Stone, T.W., Suramin-sensitive suppression of paired-pulse inhibition by adenine nucleotides in rat hippocampal slices, 45
Noguchi, K., see Miki, K., 85
Nozaki, K., see Sugino, T., 101

O'Brien, J.S., see Yan, L., 120
Ogawa, Y., Kushiro, K., Zakir, M., Sato, H., Uchino, Y., Neuronal organization of the utricular macula concerned with innervation of single vestibular neurons in the cat, 89
Ohta, S., see Nakatsuka, H., 53
Oomura, Y., see Matsugo, S., 105
Oroszi, G., see Helyes, Z., 185
Orsini, J.-C., see Dallaporta, M., 77
Orzi, F., Morisco, C., Colangelo, V., Di Grezia, R., Lembo, G., Lack of effect of insulin on glucose utilization of the hypothalamus in normotensive and hypertensive rats, 29
Otero, D.A.C., see Yan, L., 120

Palmer, S.M., see Roberts-Thomson, E.L., 93
Papp, H., see Kasa, P., 117
Paris, D., Town, T., Mullan, M., Novel strategies for opposing murine microglial activation, 5
Parsons, R.B., see Rieder, C.R.M., 177
Pavía, J., Alberch, J., Alvárez, I., Toledano, A., de Ceballos, M.L., Repeated intracerebroventricular administration of β-amyloid$_{25-35}$ to rats decreases muscarinic receptors in cerebral cortex, 69
Penke, B., see Kasa, P., 117
Perrin, J., see Dallaporta, M., 77
Pintér, E., see Helyes, Z., 185
Pole, J., see Craighead, M., 125
Potter, L.T., see Rouse, S.T., 61
Powis, D.A., see Roberts-Thomson, E.L., 93

Ramsden, D.B., see Rieder, C.R.M., 177
Rausch, W.-D., see Xiao, A.-Y., 165
Richardson, J., see Bouisset, S., 153
Rieder, C.R.M., Parsons, R.B., Fitch, N.J.S., Williams, A.C., Ramsden, D.B., Human brain cytochrome P450 1B1: immunohistochemical localization in human temporal lobe and induction by dimethylbenz(*a*)anthracene in astrocytoma cell line (MOG-G-CCM), 177
Riederer, P., see Xiao, A.-Y., 165
Roberts-Thomson, E.L., Palmer, S.M., Powis, D.A., Bunn, S.J., Histamine-stimulated phospholipase C activity in bovine adrenal medullary chromaffin cells: the effect of chloride-channel antagonists and low extracellular chloride concentrations, 93
Röhm, D., see Doppelmayr, M., 141
Rouse, S.T., Hamilton, S.E., Potter, L.T., Nathanson, N.M., Conn, P.J., Muscarinic-induced modulation of potassium conductances is unchanged in mouse hippocampal pyramidal cells that lack functional M_1 receptors, 61
Ryynänen, M., see Helisalmi, S., 65

Sadamoto, H., see Yamanaka, M., 113
Saffrey, M.J., Wardhaugh, T., Walker, T., Daisley, J., Silva, A.T., Trophic actions of neurotrophin-3 on postnatal rat myenteric neurons in vitro, 133
Sakaki, S., see Nakatsuka, H., 53
Sakanaka, M., see Nakatsuka, H., 53
Sasaki, K., see Matsugo, S., 105
Sato, H., see Ogawa, Y., 89
Satoh, H., see Watanabe, S.-I., 97
Schuligoi, R., see Amann, R., 173
Schwaiger, J., see Doppelmayr, M., 141
Seagard, J.L., see Cowan, A.R., 161
Sennvik, K., Fastbom, J., Blomberg, M., Wahlund, L.-O., Winblad, B., Benedikz, E., Levels of α- and β-secretase cleaved amyloid precursor protein in the cerebrospinal fluid of Alzheimer's disease patients, 169
Shin, D.H., Lee, H.Y., Lee, K.H., Kim, H.J., Lee, W.J., Hwang, D.H., Baik, S.H., Cho, S.S., Localization of *bcl-2* mRNA in the rabbit central nervous system, 73
Sillanaukee, P., see Hirvonen, J., 57
Silva, A.T., see Saffrey, M.J., 133
Simakajornboon, N., Gozal, E., Gozal, Y.M., Gozal, D., Hypoxia induces activation of a *N*-methyl-D-aspartate glutamate receptor – protein kinase C pathway in the dorsocaudal brainstem of the conscious rat, 17
Sinor, A.D., Irvin, S.M., Greenberg, D.A., Endocannabinoids protect cerebral cortical neurons from in vitro ischemia in rats, 157
Smith, G., see Hashimoto, Y., 109
Smith-Weller, T., see Costa-Mallen, P., 33
Soininen, H., see Helisalmi, S., 65
Sparing, R., see Krings, T., 189
Stadler, W., see Doppelmayr, M., 141
Stone, T.W., see Nikbakht, M.R., 45
Streit, M., Wölwer, W., Brinkmeyer, J., Ihl, R., Gaebel, W., Electrophysiological correlates of emotional and structural face processing in humans, 13
Sugino, T., Nozaki, K., Hashimoto, N., Activation of mitogen-activated protein kinases in gerbil hippocampus with ischemic tolerance induced by 3-nitropropionic acid, 101
Swanson, P.D., see Costa-Mallen, P., 33
Szolcsányi, J., see Helyes, Z., 185

Takayanagi, T., see Watanabe, S.-I., 97
Takenaka, T., see Lin, H., 129
Tanaka, J., see Nakatsuka, H., 53
Tashiro, K.-i., see Monji, A., 81
Tashiro, N., see Monji, A., 81
Terro, F., Esclaire, F., Yardin, C., Hugon, J., *N*-methyl-D-aspartate receptor blockade enhances neuronal apoptosis induced by serum deprivation, 149
Thán, M., see Helyes, Z., 185
Thron, A., see Krings, T., 189
Toku, K., see Nakatsuka, H., 53
Tokumaru, S., see Matsugo, S., 105
Tokunaga, A., see Miki, K., 85
Toledano, A., see Pavía, J., 69
Töpper, R., see Krings, T., 189
Town, T., see Paris, D., 5

Uchino, Y., see Ogawa, Y., 89

Valdivieso, F., see Bullido, M.J., 49
Vidruk, E.H., see Wang, Z.-Y., 9

Wahlund, L.-O., see Sennvik, K., 169
Walker, T., see Saffrey, M.J., 133
Wang, Z.-Y., Keith, I.M., Beckman, M.J., Brownfield, M.S., Vidruk, E.H., Bisgard, G.E., 5-HT$_{5a}$ receptors in the carotid body chemoreception pathway of rat, 9
Wardhaugh, T., see Saffrey, M.J., 133
Watanabe, S.-I., Satoh, H., Koizumi, A., Takayanagi, T., Kaneko, A., Tetrodotoxin-sensitive persistent current boosts the depolarization of retinal amacrine cells in goldfish, 97
Waters, C., see Craighead, M., 125
Williams, A.C., see Rieder, C.R.M., 177
Willmes, K., see Krings, T., 189
Winblad, B., see Sennvik, K., 169
Witter, M.P., see Dolleman-Van der Weel, M.J., 145
Wölwer, W., see Streit, M., 13
Wu, F.-S., Lai, C.-P., Liu, B.-C., Non-competitive inhibition of 5-HT$_3$ receptor-mediated currents by progesterone in rat nodose ganglion neurons, 37

Xiao, A.-Y., Double, K., Heinemann, T., Rausch, W.-D., Riederer, P., Gerlach, M., The industrial chemical Tinuvin 123 does not induce dopaminergic neurotoxicity in C57Bl/6 mice1, 165

Yamaguchi, H., see Kasa, P., 117
Yamanaka, M., Hatakeyama, D., Sadamoto, H., Kimura, T., Ito, E., Development of key neurons for learning stimulates learning ability in *Lymnaea stagnalis*, 113
Yan, L., Otero, D.A.C., Hiraiwa, M., O'Brien, J.S., Prosaptide™ D5 reverses hyperalgesia: inhibition of calcium channels through a pertussis toxin-sensitive G-protein mechanism in the rat, 120
Yardin, C., see Terro, F., 149
Yoshida, I., see Monji, A., 81

Zakir, M., see Ogawa, Y., 89
Zattara, M., see Bouisset, S., 153
Zheng, J.-H., Chen, J., Modulatory roles of the adenosine triphosphate P2x-purinoceptor in generation of the persistent nociception induced by subcutaneous bee venom injection in the conscious rat, 41
Zivin, M., see Milatovic, D., 25